M. A. R. 57 (Rule 116)
Measurement Book

No. D 67124

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc. of work	Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Partition wall	1	7.20	0.45	0.10	0.33-11	
		1	2.65	0.45	0.10	0.12-11	
		1	2.95	0.45	0.10	0.13-11	
		4	1.10	0.45	0.10	0.20-11	
						2.02 cum	
					limit to	1.87 cum	
		@ Rs. 5012.00/ cum					9372.00/-

Item No:-6 providing & constructing precast concrete solid blocks with compressive strength not less than 35 kg/sqcm with cement mortar

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Curing complete as per Specifications etc.						
	L.W	2	10.45	8	3.00	62.70 Sqm	
	S.W	2	3.40		3.00	20.40 "	
	Sump	1	12.00		2.00	24.00 "	
						107.10 Sqm	
	Deductions						
	D	2	1.20		2.00	4.80	
	V	11	0.75		0.45	3.71	
	L	1	0.15		27.70	4.16	
					→	12.67 Sqm	
			Net qty		→	94.438qm	
		@ Rs.	879.00/Sqm				83004.00

Contd...

M. A. R. 57 (Rule 116)
Measurement Book

No. D

67125

Serial No. ..... From ..... To .....

Name of work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Item No:7 providing & Constructing non-load bearing wall with Cement Concrete Cavities blocks (hollow blocks) of proportion 1:5:3. curing complete as per specifications.						
	Partition wall	1	7.20		2.40	17.28 Sqm	
		1	2.65		2.40	6.36 "	
		1	2.95		3.00	8.85 "	
		4	1.10		2.40	10.56 "	
	deduction D	5	1.20		2.00	(-) 12.00 "	
						31.05 Sqm	

Contd.....

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
				Limit to :		25.50 Sqm	
		@ RS. 678.00/ Sqm				——	19323-0
	Item No:- 8 providing & laying in position reinforced cement concrete of M20 with OPC cement @ 320 Kgs with 20mm & down size graded stone metal coarse aggregate @ 0.878 cum complete as per Specifications						
		1	27.24	0.23	0.15	0.94 cum	
		1	7.20	0.12	0.15	0.13 -11-	
		1	2.65	0.12	0.15	0.05 -11-	
		1	2.95	0.12	0.15	0.05 -11-	
		4	1.10	0.12	0.15	0.08 -11-	
						1.25 cum	